

# CATÁLOGO Sprinklers





SP135



SU135



SPC155



SPW155



SPSW155, SPSW155C, SPSW155W



SPC1



SPCAGE

### REPLACEMENT SPRINKLER HEADS

**Globe® 1/2", 5 mm bulb-type (Model GL) SPRINKLER HEADS** (1/2" NPT) are UL listed and FM approved. K factor is 5.6.

P/N	DESCRIPTION
SP135	135°F Pendent Bulb, Brass
SU135	135°F Upright Bulb, Brass
SPC135	135°F Pendent Bulb, Chrome
SP155	155°F Pendent Bulb, Brass
SU155	155°F Upright Bulb, Brass
SPC155	155°F Pendent Bulb, Chrome
SPW155	155°F Pendent Bulb, White
SP200	200°F Pendent Bulb, Brass
SU200	200°F Upright Bulb, Brass
SPC200	200°F Pendent Bulb, Chrome
SPW200	200°F Pendent Bulb, White
SP286	286°F Pendent Bulb, Brass
SU286	286°F Upright Bulb, Brass
SPW286	286°F Pendent Bulb, White

**Globe® 1/4", 5 mm bulb-type (Model GL) SPRINKLER HEADS** (1/4" NPT) are UL listed and FM approved. K factor is 8.1.

P/N	DESCRIPTION
→ 34SP155	155°F Pendent Bulb, Brass
→ 34SU155	155°F Upright Bulb, Brass
→ 34SP200	200°F Pendent Bulb, Brass
→ 34SU200	200°F Upright Bulb, Brass

**Globe® 1/2", 5 mm bulb-type sidewall (Model GL) SPRINKLER HEADS** (1/2" NPT) are UL listed and FM approved. K factor is 5.6.

P/N	DESCRIPTION
SPSW155	155°F Sidewall Bulb, Brass
SPSW155C	155°F Sidewall Bulb, Chrome
SPSW155W	155°F Sidewall Bulb, White
SPSW200	200°F Sidewall Bulb, Brass
SPSW200C	200°F Sidewall Bulb, Chrome
SPSW200W	200°F Sidewall Bulb, White
SPSW286	286°F Sidewall Bulb, Brass
SPSW286C	286°F Sidewall Bulb, Chrome
SPSW286W	286°F Sidewall Bulb, White

### SPRINKLER SPECIALTIES

**SPRINKLER CAGE** is made of red painted steel. Fits most 1/2" NPT sprinkler heads.

P/N	DESCRIPTION
SPC1	Economy Sprinkler Guard
SPCAGE	Heavy-Duty Sprinkler Guard

**SPRINKLER HEAD CABINETS**, made of red enamel-painted steel, will accommodate  $\frac{1}{2}$ " or  $\frac{3}{4}$ " heads. Will hold wrenches also. Two sizes available to meet code requirements. Wall mountable.

P/N	DESCRIPTION
SHC6	6-Sprinkler-Head Cabinet
SHC12	12-Sprinkler-Head Cabinet



SHC12

Solid and split **WALL ESCUTCHEONS**. The heavy-duty split style has springs for easy centering on the pipe and is ideal for installation over existing sprinkler heads. All are chrome plated with opening for  $\frac{1}{2}$ " NPT sprinkler heads.

P/N	DESCRIPTION
EP700	Wall Plate Escutcheon
EP200	Split Wall Plate Escutcheon



EP700



EP200

Canopy style, 2-piece **ESCUTCHEONS** available with solid or split cups. The split cup style is ideal for installation over existing sprinkler heads. Order 1 cup and 1 skirt for each sprinkler head. All are chrome plated with opening for  $\frac{1}{2}$ " NPT sprinkler heads.

P/N	DESCRIPTION
EP600	Chrome Escutcheon Cup
EP650	Split Chrome Escutcheon Cup
EP500	Steel Skirt for EP600 and EP650



EP600, EP500



EP650

**Globe® TWO-PIECE RECESSED ESCUTCHEON** is available in white or chrome finish. Fits model GL  $\frac{1}{2}$ " NPT sprinkler heads. Easy to install. UL listed and FM approved.

P/N	DESCRIPTION
EP10	2-Piece Chrome Unit
EP20	2-Piece White Unit




EP10

**PipeFit® THREAD SEALANT PASTE** with **Teflon®** is a premium, non-hardening paste formulated as a low cost, high performance thread sealant. **PipeFit** contains more **Teflon** by volume than any other similar product. Suitable for most threaded materials, including CPVC. Designed to be used in the field and in high-speed threading operations in fabrication shops. Has brush in cap.

P/N	DESCRIPTION
PF133	PipeFit w/ Brush, 1 pt



PF133



STQ

**Slic-Tite® PASTE** by **La-Co®** is a heavy-duty thread sealing compound with **Teflon®**. Use on metal, PVC, CPVC and ABS pipe threads. Working pressure is 3,000 psi for gas and 10,000 psi for liquids. USDA approved for use in federally inspected meat and poultry plants.

P/N	DESCRIPTION
STQ	Slic-Tite Paste, 1 qt