

CATÁLOGO

# EPP - Trabajo en Alturas





PPE

### REVOLUTION™ HARNESSES

Revolution™ Harnesses feature DualTech™ webbing and web finials that clip-on to keep webbing organized after adjustment. PivotLink™ connections provide greater mobility. A semi-flexible back shield minimizes impact from snap hooks and self-retracting lifelines, too. An integrated accessory system also provides connection points for belts, tools and more. Harness meets all applicable OSHA, ANSI and CSA standards. 400 lb capacity. Lime/Black.

Part No	Description	Size
RDTQCSMBKSN	Revolution Harness w/ DualTech Webbing, Quick Connect Buckle Chest & Legs	S/M
RDTQCUBKSN	Revolution Harness w/ DualTech Webbing, Quick Connect Buckle Chest & Legs	Universal
RDTQCXXLXXLBKSN	Revolution Harness w/ DualTech Webbing, Quick Connect Buckle Chest & Legs	2XL/3XL
RDTTBUBKSN	Revolution Harness w/ DualTech Webbing, Removable Belt, Quick Connect Chest Buckle, Tongue Buckle Leg	Universal
RDTTBDPUBKSN	Revolution Harness w/ DualTech Webbing, Side D-Rings & Pad, Quick Connect Chest Buckle, Tongue Buckle Legs	Universal



RDTQCUBKSN



E650QC7UGNSN



### DURAFLEX® ULTRA HARNESSES

DuraFlex® Ultra Harnesses offer sleek, quick connect chest and leg strap buckles as well as a comfort-touch back D-Ring pads. The Python® version offers cushioned tubular webbing in the shoulder straps to maximize comfort, while the standard Ultra features a bright, highly-visible design that offers stretchable elastomer comfort. 400 lb capacity. Lime/Black.

Part No	Description	Size
E650QCUGNSN	DuraFlex Ultra Harness	Universal
E650QC7UGNSN	DuraFlex Ultra Harness w/ Side D-Rings	Universal
P950QCUGNSN	DuraFlex Python Ultra Harness	Universal



P950QCUGNSN

### DURAFLEX® HARNESSES

DuraFlex® Harnesses conform to the shape of the worker, thanks to the stretchable elastomer webbing. The Ms. Miller® Harness uses DuraFlex technology with a female-specific fit. 400 lb capacity. Lime/Black.

Part No	Description	Size
E6504UGNSN	DuraFlex Harness w/ Mating Chest Buckle, Tongue Buckle Legs & Belt Loops	Universal
E6504SMGNSN	DuraFlex Harness w/ Mating Chest Buckle, Tongue Buckle Legs & Belt Loops	S/M
E6504XXLGNSN	DuraFlex Harness w/ Mating Chest Buckle, Tongue Buckle Legs & Belt Loops	2XL/3XL
E850UGNSN	DuraFlex Harness w/ Mating Chest & Leg Straps	Universal
E570URNSN	DuraFlex Ms. Miller Harness w/ Mating Chest & Leg Straps & Back & Leg Pads	Universal



E6504SMGNSN



E570URNSN



P9507UGNSN

### DURAFLEX PYTHON® HARNESS

The DuraFlex® Python® Harness offers three types of webbing: tubular for the shoulder straps, DuraFlex® for the torso and non-stretch on the legs. 400 lb capacity. Lime/Black.

Part No	Description	Size
P9507UGNSN	DuraFlex Python Harness w/ Mating Chest & Leg Straps, Side D-Rings	Universal



PPE



2NALBKS

### BODY BELTS


Miller® **Body Belts** restrain a worker in a hazardous position to reduce the possibility of a fall. Belts should be used for positioning work only – never for fall protection. **Miller Body Belts** are made of heavy-duty nylon webbing and have tongue buckle attachments for a secure fit. Two hip D-rings. Black.

Part No	Description	Size
2NALBKS	Body Belt w/ 3" Back Pad	L
2NAXBKS	Body Belt w/ 3" Back Pad	XL

### HP™ HARNESSES

Miller® **HP™ (High Performance) Harnesses** are made from lightweight 1½" polyester webbing that is strong enough to hold up to 400 pounds. Friction shoulder straps, a back D-ring, sub-pelvic strap plus mating chest and leg straps all work together to bring workers safely and comfortably through their workday. Meets or exceeds all OSHA, ANSI, and CSA requirements. 400 lb capacity. Lime/Black.

Part No	Description	Size
650TUGSN	HP Harness, w/ Pull-Up Adjustment	Universal
850TUGSN	HP Harness, w/ Pull-Down Adjustment	Universal



650TUGSN



650UYKSN

### NON-STRETCH BODY HARNESSES

Whether it's the Miller® **VersaLite** or the **DuraLite Full Body Harness**, it's a great choice. Both harnesses meet or exceed all OSHA, ANSI and CSA requirements and can hold up to 400 pounds. These lightweight harnesses use non-stretching, 1½" polyester webbing for sure support. The **DuraLite Harness** weighs a few ounces more because of its additional side D-rings. The **VersaLite** has a sub-pelvic strap for added support. All other features are similar – friction shoulder straps, mating chest and legs straps and pull-free lanyard rings. 400 lb capacity. Yellow/Black.

Part No	Description	Size
650UYKSN	VersaLite, Non-Stretch, Full-Body Harness	Universal
8507UYKSN	DuraLite, Non-Stretch, Full-Body Harness	Universal



PPE



9099X12SN  
(Retracted)

9099X12SN  
(Expanded)

### RELIEF STEP™ SAFETY DEVICE

Attach the Miller® Relief Step™ Safety Device to any full-body harness, and in the event of a fall it will provide a short-term solution to suspension trauma. Small and lightweight, this safety device won't get in the way. Black.

Part No	Description
9099X12SN	Relief Step Safety Device, 12/Box



216M6FTGNSN

### MANYARD® II STRETCHABLE SHOCK-ABSORBING LANYARDS

Manyard® II Stretchable Shock-Absorbing Lanyard has an inner core that, during a fall, expands up to an additional 42" to reduce fall arrest forces and help protect the body. It's easy to tell when a Manyard II has been involved in a fall because its bright red warning flag is visual proof that it should be taken out of service. Rated to 310 lbs working load capacity. Green.

Part No	Description
216M6FTGNSN	Lanyard, 6', 1 Leg, 2 Locking Snap Hooks
231M6FTGNSN	Lanyard, 6', 2 Legs, 1 Locking Snap Hook, 2 Locking Rebar Hooks

**MILLER**  
by SPERIAN



216TWLS6FTGNSN

### MANYARD® HP™ SHOCK-ABSORBING LANYARD

Over the years, the Miller® Manyard® HP™ Shock-Absorbing Lanyard has been refined to keep up with the times and remains unsurpassed in the marketplace. Manyard HP provides a shock-absorbing inner core that will smoothly expand up to an additional 42" when the wearer falls, thereby decreasing chance for injury. A warning flag lets everyone know that the lanyard has been involved in a fall and must not be reused. 310 lb capacity. Green.

Part No	Description
216TWLS6FTGNSN	Manyard HP Lanyard, 6', 2 Locking Snap Hooks



216WLS6FTYLSN

### MANYARD® SHOCK-ABSORBING LANYARD

Possessing all the quality of a Miller® lanyard, the "Original" Manyard® helps protect the body from possible injuries during a fall. It does this by expanding smoothly up to an additional 42" to reduce fall arrest forces. The heavy-duty outer jacket also serves as a back-up lanyard. Once used to break a fall, a lanyard must be removed from service. This one sends up a warning flag for visual confirmation. 310 lb capacity. Yellow.

Part No	Description
216WLS6FTYLSN	Manyard, 6', 2 Locking Snap Hooks
219WRS6FTYLSN	Manyard, 6', 1 Locking Snap Hook, 1 Locking Rebar Hook

### STRETCHSTOP® LANYARDS

Miller® StretchStop® Lanyards have a SofStop® Shock Absorber with a unique stretchable design. It can stretch from 4' to 6' helping minimize snagging and tripping. There's also a heavy-duty back-up safety strap. 310 lb capacity. Green.

Part No	Description
913SS6FTGNSN	StretchStop Lanyard, 6', 1 Leg, 2 Locking Snap Hooks
8798RSS6FTGNSN	StretchStop Lanyard, 6', 2 Leg, 1 Locking Snap Hook, 2 Locking Rebar Hooks



913SS6FTGNSN



### BACKBITER® TIE-BACK SHOCK-ABSORBING LANYARDS

This 6' lanyard with SofStop® Shock Absorber also has a cross-arm anchorage connector. Unlike regular lanyards, the BackBiter® Tie-Back has a Miller 5K® Snap Hook and was created specifically for tie-back use. It has an impressive 5,000 lb gate load capacity from any angle, too. 310 lb capacity. Green.



913B6FTGNSN

Part No	Description
8798B6FTGNSN	BackBiter Lanyard, 6', 2 Leg, 2-5K Snap Hooks, 1 Locking Snap Hook
913B6FTGNSN	BackBiter Lanyard Tie-Back, 6', 1-5K Snap Hook, 1 Locking Snap Hook

### TITAN™ SHOCK ABSORBING LANYARDS

Titan™ Shock Absorbing Tubular Lanyards are 6' in length with lightweight webbing for easy carry yet provide super strong performance. Smooth 42", expansion will reduce fall arrest forces to help prevent serious injury. Lanyard has a built-in woven inner core and locking snap hooks for connection. Orange.

Part No	Description
T51116FTAFSN	Titan Tubular Lanyard, 6', 2 Locking Snap Hooks
T51216FTAFSN	Titan Tubular Lanyard, 6', 2 Leg, 3-Locking Snap Hooks
T61116FTAFSN	Titan Pack-Type Lanyard, 6', 2 Locking Snap Hooks
T61226FTAFSN	Titan Pack-Type Lanyard, 6', 2 Leg, 1 Locking Snap Hook, 2 Locking Rebar Hooks
T6111SS6FTAFSN	Titan Stretch Tubular Lanyard, 6', 2 Locking Snap Hooks
T6111SS6FTAFSN	Titan Stretch Pack-Type Lanyard, 6', 2 Locking Snap Hooks



T51216FTAFSN



T6111TB6FTAFSN

### TITAN™ T-BAK™ LANYARD

Like many lanyards, the Titan™ T-Bak™ has a woven shock-absorbing core that expands up to 42" to reduce fall arrest forces that can otherwise cause serious injury. Made from webbing for increased strength. Sliding D-ring and auto locking carabiner for added safety. Orange.

Part No	Description
T6111TB6FTAFSN	T-Bak Lanyard, 6', 1 Locking Snap Hook



TK4061U6FTAJSN

### TITAN™ HARNESS & SHOCK-ABSORBING LANYARD

The Titan™ Full Body Harness comes with an attached 6' lanyard that has a shock absorber pack. Its universal size will fit most all workers and leg and chest straps are closed with mating buckles. 400 lb capacity. Yellow.

Part No	Description
TK4061U6FTAJSN	Harness/Shock Absorbing Lanyard, 6', 1 Locking Snap Hook



PPE




MFLB4Z76FTSN

### TWIN TURBO™ FALL PROTECTION SYSTEM

The easy-to-use **Twin Turbo™ Fall Protection System** increases versatility with a new freedom of movement. Its innovative design connects to the back D-ring of any fall protection harness to allow **Twin Turbo PFLs** (Personal Fall Limiters) to swivel in multiple directions. Adapts to most **TurboLite™** PFL models. Webbing payout is smooth. 400 lb capacity.

Part No	Description
<b>MFLB4Z76FTSN</b>	Twin Turbo Fall Protection System w/ Locking Rebar Hooks, 6'



PFL59FTSN

**MILLER**  
by SPERIAN

### SCORPION™ PERSONAL FALL LIMITERS

**Scorpion™ Personal Fall Limiter** attaches to a harness D-ring to create a personal fall limiter or it can be used as a retractable lifeline. Quick and sure stainless steel braking system arrests free falls. Visual load indicator shows when unit must be removed from service. 310 lb capacity.

Part No	Description
<b>PFL49FTSN</b>	Scorpion PFL, 9' Carabiner & Swivel Shackle w/ Locking Snap Hook
<b>PFL59FTSN</b>	Scorpion PFL, 9' D-Ring & Swivel Hook w/ Locking Snap Hook
<b>PFL79FTSN</b>	Scorpion PFL, 9' Swivel Shackle & Locking Snap Hook w/ Locking Snap Hook
<b>PFL149FTSN</b>	Scorpion PFL, 9' Swivel Shackle & Locking Snap Hook w/ Locking Rebar Swivel Hook



CFL49FTSN

FL11311FTSN

### BLACK RHINO™ SELF-RETRACTING LIFELINE

**Black Rhino™ Self-Retracting Lifeline** is 9' of stainless steel wire rope that can withstand rugged daily use. It's lightweight at just over four pounds with a stainless steel swivel and steel twist lock carabiner. Stainless steel braking system will arrest free falls. Meets ANSI A10.32. 310 lb capacity.

Part No	Description
<b>CFL49FTSN</b>	Black Rhino Self-Retracting Lifeline w/Locking Swivel Snap Hook, 9'

### MINILITE® FALL LIMITER

Arrest a free fall quickly with a **MiniLite® Fall Limiter**. It brakes swiftly and the thermoplastic cover protects interior parts from impact and corrosion. Webbing is 11' long and has a tamper-proof snaphook. 310 lb capacity.

Part No	Description
<b>FL11311FTSN</b>	MiniLite w/ Carabiner & Swivel Shackle, 11'
<b>FL11811FTSN</b>	MiniLite w/ Snap Hook & Swivel Shackle, 11'



### FALCON™ SELF-RETRACTING LIFELINES

Falcon™ Self-Retracting Lifelines manage to be the lightest yet some of the toughest lifelines available. They use corrosion-resistant stainless steel and aluminum for dependable interior components. Casing is lightweight and easy to carry on jobsites. Load indicators identify when the unit must be removed from service. 310 lb capacity.

Part No	Description
MP20G20FTSN	Galvanized Wire Rope w/ Tagline & Carabiner, 20'
MP30G30FTSN	Galvanized Wire Rope w/ Tagline & Carabiner, 30'
MP50G50FTSN	Galvanized Wire Rope w/ Tagline & Carabiner, 50'

### MIGHTYLITE™ SELF-RETRACTING LIFELINE

The 20-foot Miller® MightyLite™ has a 3/16" galvanized cable with tagline and carabiner. This self-retracting lifeline is up to 30% lighter than other models in its class. Corrosion-resistant stainless steel and aluminum housing make it durable and dependable. No annual factory recertification is required. MightyLite has a 400 lb capacity when using a SofStop® shock absorber, 310 lb capacity without.

Part No	Description
RL20G20FTSN	MightyLite Self-Retracting Lifeline, 20'

**MILLER**  
by SPERIAN

### TITAN™ SELF-RETRACTING LIFELINE

Affordably priced, the Titan™ Self-Retracting Lifeline has a quick activating braking mechanism and comes in a variety of lengths. Made from impact-resistant housings with steel frames. Snap hook with swivel and carabiner included.

Part No	Description
TRW20FTSN	Titan Aluminum & Stainless Steel Self-Retracting Lifeline w/ 1" Webbing, 20'
TR3030FTSN	Titan Glass-Filled Polypropylene Self-Retracting Lifeline w/ 3/8" Galvanized Wire Rope, 30'

### TITAN™ FALL LIMITER

Miller's® Titan™ Fall Limiter has 11' of working capacity, all within a compact and lightweight design. The stainless steel braking mechanism works fast to arrest free falls. Corrosion-resistant interior components mean dependability when needed. No annual factory recertification required.

Part No	Description
TFL311FTSN	Titan Fall Limiter w/ Stainless Steel Swivel Shackle & Carabiner, 11'



MP20G20FTSN

RL20G20FTSN

TRW20FTSN

TFL311FTSN




PPE

### TITAN™ READYROOFER® FALL PROTECTION SYSTEM

Titan™ ReadyRoofer® is a fall protection system designed with items specific to roofers. It includes a lightweight non-stretch harness with mating buckle leg straps and a reusable roof anchor with attachment D-ring. There's also a stainless steel, compact trailing rope grab and 3' shock-absorbing web lanyard. The 50' lifeline is 3/8" in diameter. All these items are packaged in a waterproof storage container.

Part No	Description	Size
BRFK5050FTSN	ReadyRoofer Fall Protection System w/ 50' Rope Lifeline	Universal




BRFK5050FTSN

### TITAN™ READYWORKER™ FALL PROTECTION KITS

Titan's™ ReadyWorker™ Fall Protection Kits are always ready to go. Kit includes harness with back straps and D-ring, pull-free lanyard rings and universal sizing to fit most workers. There's a shock absorbing 6' lanyard, too. All pieces are stored in a waterproof container.

Part No	Description	Size
TFPK1U6FTAASN	ReadyWorker Fall Protection Kit	Universal
TFPK4U6FTAASN	ReadyWorker Fall Protection Kit w/ 6' Cross Arm Strap	Universal



TFPK1U6FTAASN

**MILLER**  
by SPERIAN



TK4051BS6FTAASN



### TITAN™ AERIAL LIFT FALL PROTECTION KITS

Miller® Titan™ Aerial Lift Fall Protection Kit has a full-body, harness with mating buckle leg, chest and shoulder straps plus sub-pelvic support. Also included is an attached shock-absorbing lanyard with locking snap hook and a water resistant storage bag in which to keep everything. Yellow.

Part No	Description	Size
TK4051BS6FTAASN	Aerial Lift Fall Protection Kit, 6'	S
TK4057BU6FTAASN	Aerial Lift Fall Protection Kit, 6'	Universal
TK4057BU4FTAASN	Aerial Lift Fall Protection Kit, 4'	Universal



PPE



### WEB CROSS-ARM STRAP

This 6' Web Cross-Arm Strap is for wrapping around I-beams and other structures. It attaches with a 2" D-ring that slips through a 3" D-ring to create a fastened point for connecting devices. Strap can hold up to 400 lbs. Green.

Part No	Description
81836FTGNSN	Cross-Arm Strap, 6'

**MILLER**  
by SPERIAN




17D1SN

### CARABINERS

Carabiners come in handy for many things, but when a life is hanging in the balance that's the time for only the best. Miller® 17D-1 Carabiners are steel with a twist lock and have a 1" gate opening. Each carabiner holds a maximum of 400 lbs.

Part No	Description
17D1SN	Carabiner, 1" Gate Opening



M10LH6FTYLSN

**MILLER**  
by SPERIAN

### LOAD BINDER


Load Binder is made from 2-inch polyester webbing and features a steel ratchet buckle.

Part No	Description
M10LH6FTYLSN	Miller Load Binder, 6' w/ Long Hooks

### ROOF ANCHOR BRACKET

Temporary Roof Anchors allow for safe working on peaked roofs. Anchor is attached with screws (not included) and provides a connection point for one worker.

Part No	Description
ABD15SN	Roof Anchor Bracket w/ D-Ring, Reusable



ABD15SN



PPE

# Harness The Power



### ANCHORAGE CONNECTORS

PointGuard™ Anchorage Connector Straps provide a temporary attachment point, when it is no longer needed simply cut the protrusion and throw away. The FP Stryder™ attaches to a beam flange with just one hand, and it's so versatile you can use it overhead or at your feet. The Anchorage Connector Strap comes with a D-ring and sewn loop, while the Suretyman™ Anchorage Sling attaches to any anchorage point using numerous configurations. And it's tough, thanks to one-inch nylon tube webbing sewn into an endless loop.

Part No	Description	Size
10042792MSA	PointGuard Residential Anchorage Connector Strap w/ D-Ring	3'
10042794MSA	PointGuard Concrete Anchorage Connector Strap w/ D-Ring	4'
10051455MSA	FP Stryder Beam Anchorage Connector	4"-14"
505282MSA	Anchorage Connector Strap w/ D-Ring	5'
SFP2267404MSA	SuretyMan Anchor Sling	4'
SFP2267406MSA	SuretyMan Anchor Sling	6'



10042792MSA



10051455MSA

### WORKMAN® PFL LANYARDS

PFL Lanyards feature a solid design and fast-acting brake mechanism with rugged, impact-absorbing protective bumpers for added durability. Meets ANSI A10.32 and all applicable OSHA Standards. They also feature field-replaceable lifelines and a swivel at the PFL connector. 400 lb working capacity.

Part No	Description
10093348MSA	No PFL Connection, LI Snaphook Lifeline Connection, 12'
10093349MSA	No PFL Connection, LC Snaphook Lifeline Connection, 12'
10093350MSA	1" Steel Carabiner PFL Connection, LC Snaphook Lifeline Connection, 12'



10093349MSA



10033836MSA



### FP PRO® HARNESES

Often the only thing between a worker and the ground is a harness – and what it's anchored to – so it better be a good one. And, MSA's FP Pro® Harnesses are. Full-body design offers excellent strength. Easy to doff and don, too. Meets all applicable OSHA regulations, ANSI A10.32 & ANSI Z359.1-2007. 310 lb capacity.

Part No	Description	Size
10033836MSA	FP Pro Harness, Vest Style, Tongue Buckle Leg Straps	Standard
10033837MSA	FP Pro Harness, Vest Style, Tongue Buckle Leg Straps	XL
415947MSA	FP Pro Harness, Vest Style, Qwik-Fit Leg Straps	Standard



### of MSA

#### WORKMAN® HARNESSES

The first thing workers will notice when they put on a **Workman® Harness** is its comfort. But that's not all. This economical harness is incredibly strong, too. It's made with abrasion-resistant, durable hi-vis yellow webbing and includes retaining collars to keep the excess webbing from getting twisted or bunched up. Plus, the color-contrasting thigh and torso straps simplify donning. **Workman Harness** is also easy to adjust. All styles feature a **Qwik-Fit™** chest strap and back D-ring. Meets OSHA regulations, ANSI A10.32 & ANSI Z359.1, and certified to CSA Z259.10-M90. 400 lb capacity. Yellow/Black.

Part No	Description	Size
10072479MSA	Qwik-Fit Leg Buckles	Standard
10072480MSA	Qwik-Fit Leg Buckles	XL
10072487MSA	Tongue Leg Buckles	Standard
10072488MSA	Tongue Leg Buckles	XL
10072483MSA	Qwik-Fit Leg Buckles, Hip D-Rings	Standard
10072484MSA	Qwik-Fit Leg Buckles, Hip D-Rings	XL
10072491MSA	Tongue Leg Buckles, Hip D-Rings	Standard
10072492MSA	Tongue Leg Buckles, Hip D-Rings	XL
10077571MSA	Tongue Leg Buckles, Hip D-Rings, Shoulder & Back Pads, Tool Belt	Standard



PPE



10072479MSA

#### NEW

#### EVOTECH™ FULL BODY HARNESSES

**Evotech™ Full-Body Harness** has features that improve comfort, durability, ease of use and safety. Its breathable padding has moisture-wicking material to help keep users cooler. Shoulder padding has no binding edges preventing neck chafing. The dual-color webbing – red on outside, black on inside – simplifies donning and allows for easy identification of twisted webbing. Reflective piping is integrated into the harness' webbing for better visibility in low-light environments. Three-position back D-ring is standard, too. 400 lb capacity. Red/Black.



10105889MSA

Part No	Description	Size
10105889MSA	Evotech Harness, Qwik-Fit Chest & Leg Straps	Standard
10105890MSA	Evotech Harness, Qwik-Fit Chest & Leg Straps	XL
10105956MSA	Evotech Harness, Qwik-Fit Chest Straps & Tongue Buckle Leg Straps	Standard
10105957MSA	Evotech Harness, Qwik-Fit Chest Straps & Tongue Buckle Leg Straps	XL



10041611MSA

#### TECHNACURV® FULL BODY HARNESS


**TechnaCurv® Full Body Harness** is one of the most comfortable, versatile and safe harnesses available. The **Curvilinear Comfort System** makes it more ergonomic for the body while visco-elastic shoulder padding eases pressure on the shoulders. **Sorbtek™** fabric on shoulder and sub-pelvic pads wicks away moisture. The **TechnaCurv Harness** has D-rings on hips, back and chest. It meets all applicable OSHA regulations, ANSI standards, and is CSA certified. 400 lb capacity. Red/Black.

Part No	Description	Size
10041611MSA	TechnaCurv Full Body Harness, Qwik-Fit Chest Buckle, Tongue Leg Buckles	Standard



PPE

**MSA**




506204MSA

### DYNA-LOCK® SELF-RETRACTING LANYARD

MSA's Dyna-Lock® Self-Retracting Lanyard is  $\frac{3}{16}$ " of rugged, galvanized steel wire rope. Lanyard has three continuously moving, independent braking mechanisms to prevent freezing or corroding. A built-in shock absorber limits fall arrest forces to under 900 lbs. It's quick, too with a  $4\frac{1}{2}$ ' per second locking speed. Meets all applicable OSHA requirements and ANSI standards including ANSI Z359.1 and ANSI A10.32. 400 lb capacity.

Part No	Description
506204MSA	Dyna-Lock Self-Retracting Lanyard, 50' Galvanized Wire Rope



10072475MSA


### WORKMAN® LANYARDS

Workman® Shock Absorbing Lanyards provide a connection between the dorsal D-ring of a full-body harness and a qualified anchor and anchorage connector. Features a tear-tape design to keep fall arrest force below 900 lbs. Yellow.

Part No	Description
10076124MSA	Single Leg, LC Harness Connection, GL3100 Anchorage Connection, Adjustable
10072475MSA	Twin Leg, LC Harness Connection, (2) GL3100 Anchorage Connections, Adjustable



10023932MSA



10088259MSA

### LANYARDS

MSA Lanyards are engineered to meet the fall protection needs of industry. Styles are designed to meet specific applications.

Part No	Description	Size
10023932MSA	Diamond Shock-Absorbing Lanyard, Single Leg, HL2000 Harness & Anchorage Connections	6'
10023970MSA	Diamond Shock-Absorbing Lanyard, Twin Leg, Swivel HL2000 Harness Connection, HL2000 Anchorage Connection	6'
10045936MSA	Diamond Expanyard, Single Leg, HL2000 Harness & Anchorage Connections	6'
10021663MSA	Dyna-Brake Shock-Absorbing Lanyard, Adjustable, HL2000 Harness & Anchorage Connections	6'
10021671MSA	Dyna-Break Tie-Back Shock-Absorbing Lanyard, Twin-Leg, HL2000 Harness & Anchorage Connection	6'
10047084MSA	FP5K Tie-Back Shock Absorbing Lanyard, Adjustable, HL2000 Harness Connection, FP5K Carabiner Anchorage Connection	6'
10088259MSA	Sure-Stop Shock-Absorbing Lanyard, 36C Harness & Anchorage Connections	6'



PPE



415940MSA

### FP PRO® ROPE GRAB W/ LANYARD

Three-foot-long FP Pro® Rope Grab has a Dyna-Brake Shock Absorbing Lanyard and offers hands-free operation while ascending or descending. The cam and hinge design allows for a quick, easy installation on the rope. Meets ANSI Z359.1, ANSI A10.14, and OSHA standards. Black.

Part No	Description
415940MSA	Rope Grab w/ 3' Sure-Stop Lanyard, 36C Snap Hook

### SURE-LINE™ TEMPORARY HORIZONTAL LIFELINE




A dual lifesaver, this Sure-Line™ Horizontal Lifeline is made for two workers. Storage bag contains 60 feet of 3/8" black nylon kernmantle rope, two cable anchor slings and the always-important energy absorber. The Sure-Line is useful in many applications and can be mounted to any 5,000 lb-rated anchor.

Part No	Description	Size
SHL1009060BLKMSA	Sure-Line Temporary Horizontal Lifeline	60'



SHL1009060BLKMSA



10040018MSA

### HANDS-OFF™ CHISEL GRIP TOOL HOLDER

A great idea for anyone who uses chisels on a regular basis, the Hands-Off™ Chisel Grip Tool Holder is ergonomically designed for a comfortable and firm grip while it keeps hands away from the point of contact. The handle absorbs vibration and is spark-resistant. Knob on bottom allows for easy adjustments. Holds chisels up to 1" in diameter. Teal.

Part No	Description
10040018MSA	Hands-Off Chisel Grip Tool Holder