

CATÁLOGO Maquinaria





VF50



51221GZ



51318GZ



58633GZ



58900GZ

RECHARGE EQUIPMENT

Getz VACU-FILL SYSTEMS are available with 50, 100 and 150 lb capacity hoppers. All feature single valve control console, filling line, discharge assembly, discharge screen and powder recovery lid. Systems operate on air or nitrogen at 60 – 80 psi, 1 – 2 cfm.

P/N	DESCRIPTION	H X W X D
VF50	50 lb Dry Chemical Filling System	25" x 13" x 15"
VF100D	100 lb Dry Chemical Filling System	32" x 20" x 15"
VF150D	150 lb Dry Chemical Filling System	38" x 20" x 15"
51030GZ	Fixed Nozzle Discharge Cone Adapter	
51221GZ	Fill Cone	
	Fits Vacu-Fill & EZ20 Systems	
51222GZ	Wheeled Unit Fill Cone	
51318GZ	Overflow Filter	
	Fits Vacu-Fill & EZ20 Systems	
51346GZ	Overflow Jar Gasket	
	Fits Vacu-Fill & EZ20 Systems	
51348GZ	Vacuum Gauge, 30" Hg	
51436GZ	Overflow Jar	
	Fits Vacu-Fill & EZ20 Systems	
58559GZ	Hopper Lid Filter, 100 & 150 lb	
58633GZ	Venturi 50, 100 & 150 lb	
58654GZ	Velcro/Gasket Lid Kit for 100 & 150 lb	
58839GZ	Hopper Lid Filter, 50 lb	
58900GZ	Maintenance Kit for VF100D & VF150D	
58901GZ	Maintenance Kit for VF50	
59117GZ	Velcro/Gasket Lid Kit for 50 lb	
DDP59439GZ	Hopper Bucket Attachment for Filling	

MAINTENANCE RECOMMENDATIONS:

1. Filters should be changed every 90 days or sooner.
2. Replace jar gaskets and lid filters every 12 months.
3. On/Off valves should be replaced every two years.
4. Replace hoses if they show signs of wear or burn marks.

The **MECHANICAL BENCH VISE**, with hand-wheel, is versatile, compact and easy to operate. Made from aluminum, it's perfect for use in a shop or on location at a job site. Vise jaws have non-slip belting and rear jaw is adjustable.

P/N	DESCRIPTION	L X H X W
MBVD	Mechanical Bench Vise	13" x 7" x 4"

The **SuperKan RECOVERY SYSTEM** is a quick, inexpensive way to empty portable dry chemical extinguishers. Constructed from spun aluminum, this can features a baked White enamel finish and a three-tier screen system. Can holds up to 30 lbs of chemical.

P/N	DESCRIPTION
59377GZ	SuperKan
53329GZ	Filter for SuperKan
56251GZ	Rubber Assembly for SuperKan
53354GZ	Foam Seal



MBVD



59377GZ



59341GZ

The **DCX 20 FILL SYSTEM** comes with its own 20 lb pail and adds to, or fills, extinguishers via gravity in seconds! Pail changes out easily due to a fast-connect clamp system. The can is constructed from spun aluminum with a White, powder-coated finish. A three-tier screen system sifts powder, while a 1/2" valve holds back the powder until you're ready to dispense it.

P/N	DESCRIPTION
59341GZ	DCX 20 Extinguisher Filling System
51899GZ	Ball Valve, 1/4"
53343GZ	DCX 20 Clamp
53400GZ	20 lb Lid
53401GZ	20 lb Bucket
53414GZ	Male Quick Connect
53433GZ	Rubber Seal Strip, 3 1/2"
59403GZ	Discharge Hose, 3' x 3/8"

Take your shop on the road with the **Getz SERVICE TRUCK DELUXE PACKAGE**. Includes the **Getz VF50 Vacu-Fill** system, a nitrogen regulator, recharge line with quick coupling, recharge adapter kit and a pail opener.

P/N	DESCRIPTION
59350GZ	Service Truck Deluxe Package



59350GZ

The easy-to-use **BLOW-OUT BAG** empties dry chemical extinguishers in seconds, without a mess, saving time and money. Place nozzle or hose into neck of bag, hold securely, release pressure slowly until empty. Hook-and-loop closure across the bottom makes it easy to empty.

NOTE: Do not mix chemicals! Not recommended for reclaiming chemicals.

P/N	DESCRIPTION
BBAG	Blow-Out Bag



BBAG

POWDER PAIL BAGS control the flow of powder, keeping dust to a minimum. Also fills hoppers.

P/N	DESCRIPTION
PPB1	Powder Pail Bag



PPB1

RUBBER MALLET for "fluffing" chemical in cylinders, etc.

P/N	DESCRIPTION
RM16	16 oz Rubber Mallet



RM16

The disposable **COMFORT MASK** gives relief from nuisance and non-toxic dusts, powders and pollen. Lightweight, with adjustable elastic head strap and metal forming strip over nose for comfort.

P/N	DESCRIPTION
RP9500	Nuisance Dust Mask, Pkg/50



RP9500

The **CYLINDER VALVE GUARD** and **CAP** meet DOT, OSHA and MSHA requirements. **GT11** can be fitted and padlocked over cylinder valve with regulator attached, while the **CCAP** protects cylinder valves only. Measures 3 1/8" x 11 threads per inch.

P/N	DESCRIPTION
GT11	Cylinder Valve Guard
CCAP	Cylinder Cap



CCAP



PBB135

This **BENCH BEAM SCALE** is legal for trade, conforming to NIST Handbook 44, Class III. Scale features a bubble level indicator, adjustable leveling legs and reads in ounces or decimal pounds with 135 lb x 0.1 lb graduations. Platform measures 12"L x 17"W.

P/N	DESCRIPTION
PBB135	Bench Beam Scale



WSK30350

SERVICE KITS

Reduce service time while increasing profit with the **UNIVERSAL WHEELED UNIT SERVICE KIT**. Our 30 lb – 350 lb service kit has all the fittings, adapters and components to perform annual maintenance on most makes, models and sizes of wheeled fire extinguishers. Contact our sales department for a complete list of kit components.

P/N	DESCRIPTION
WSK30350	Wheeled Unit Service Kit



DCRK

DRY CHEMICAL REFILLING KIT contains: small funnel (**FF1**), large funnel (**FF2**), regulator (**2550**), large scoop (**SS2**), complete recharge adapter kit (**RAKIT**), nitrogen hose (**N10H**) and **Teflon®** tape (**T520**).

P/N	DESCRIPTION
DCRK	Dry Chemical Refilling Kit



SUKIT

START-UP KIT

Brooks' START-UP KIT easily outfits a service truck and contains everything you need to get the ball rolling. Contents include dry chemical recharge kit (**DCRK**), valve stem kit (**VSKIT**), o-ring kit (**ORKIT**), rivet kit (**RKIT**), 100 new-type pull pins (**NPP**), box of comfort masks (**RP9500**), valve cleaning brushes (**VCB**, **NB**, **TB**), scales (**501**, **605**), tube of lubricant (**OLUBE**), clear parts box (**LPC16**) and a parts bin rack (**PBR1**).

P/N	DESCRIPTION
SUKIT	Start-Up Extinguisher Service Kit



RAKIT

RECHARGE ADAPTER KIT contains 13 recharge adapters: 13 **CON1**, one **GDC** and one **AC1** in a clear parts bin box, with a full-scale illustration of each part.

P/N	DESCRIPTION
RAKIT	Recharge Adapter Kit

Throughout this catalog, we highlight the Red Head Brass commitment to quality. This dedication to offering only the finest products can be found in our line of expanders...the Brute line. We have refined this product offering to two outstanding machines; the hand pump Brute X-Pander portable unit and the electric pump Brute Model 2.

Red Head Brass expanders are precision instruments, made for smooth easy operation. They make every attachment a snug, uniform, secure fit assuring a safe hose and coupling assembly. The Brute machines come complete with operating instructions, including simple diagrams to make each operation easy to understand. We also will provide training at no charge in the use of our expanders at our manufacturing facility in Shreve, Ohio.

Style Brute X-Pander

Compact Hand Pump Expander

- Designed for forestry services, fire departments, small distributors and ski areas.
- May be used to attach 1" thru 3" couplings.
- Ideal for in-house use or mounted in a service van for field repairs.
- Unit weighs 32% less than our previous hand pump model, requires 50% fewer strokes to expand and 75% fewer strokes to release.
- All-in-one design means fewer parts and no hydraulic connections making the X-Pander our most reliable and service free hand expander ever.
- All current Red Head Brass expansion unit assemblies and replacement parts can be used with the X-Pander.
- Size: 13" W x 17" D x 10" H.
- Weight: 45 lbs.



Style Brute Model 2

Bench Model Electric Hydraulic Expander

- Designed for hose manufacturers and higher volume distributors and fire departments.
- May be used to attach 1" thru 6" couplings.
- 3,000# pump - 2,500 # workable.
- 3450 RPM Motor
- 1 1/2 h.p., single phase, 220 v.
- Cylinder - 6" stroke, 4" bore.
- Total thrust - 38,000#.
- Oil Capacity - 9.5 gallons.
- Manually set external pressure relief valve.
- Size: 22" W x 22" D x 16" H.
- Weight: 400 lbs.



NOTE: Red Head Brute expanders *do not* include any expansion unit assemblies. They must be ordered separately. For a complete list of all available expansion units and sizes contact your Red Head Customer Service representative.

Expansion Units

Red Head expansion units are compatible with some other manufacturers' expanders. When ordering for machines other than Red Head Brute, specify manufacturer and model.

Repair or replacement parts for Brute expansion units also available, including segments only, segment holders, drawbars, adjusting rings, segment springs, drawbar adapters, etc.

For a complete list of all available expansion units and there sizes contact your Red Head customer service representative.

When ordering please specify the manufacturer and model number of your particular unit. Also specify the type and size of the coupling you are ordering.


2 1/2" Expansion Unit Assembly




1 1/2" Expansion Unit Assembly




Typical Configuration of 1", 1 1/2", 1 3/4" or 2" Expansion Unit Assembly




Typical Configuration of 2 1/2", 3" or 3" x 2 1/2" Expansion Unit Assembly



Typical Configuration of 3 1/2", 4", 4 1/2", 5" or 6" Expansion Unit Assembly



Expansion Unit Assemblies, though shown in illustrations, are not included with any machine and must be ordered separately.

**BACKPACK EXTINGUISHING SYSTEM**

The **Genfo-45 WILDLAND BACKPACK EXTINGUISHING SYSTEM** is considered by firefighting professionals to be the best in backpack water carriers. With its large $4\frac{1}{2}$ gal reservoir and internal baffle (preventing excessive water slosh), you have a substantial, yet stable, transportable water supply. Features also include a double-action hand pump for fast pressuring and a $40'' \times \frac{1}{4}''$ bsp hose with a fully adjustable nozzle (straight-stream to full-fog). Each backpack incorporates a carry handle and shoulder straps for easy transportation. Empty, each backpack weighs 4 lbs and measures $19\frac{1}{3}''$ L x $25\frac{1}{2}''$ H x 1'' D. Foam tube attachment sold separately.

P/N	DESCRIPTION
→ WBES45	Genfo-45 Water Backpack
→ WBES45FT	Foam Application Tube for Genfo-45